
New Working New Living

FlexiSpot

Item No. KT1
User Manual






Adjustable Keyboard Tray

Package Included

(A) Parts Included



(B) Attachment Screw Set



St4.8x16mm (8PCS)



Φ5 washer (8PCS)



M4x8mm (2PCS)



M5x12mm (4PCS)



Cable Clip (2PCS)



M5x6 Screws (8PCS)

(8PCS)

(C) Tools Needed for Assembly












Installation Steps

STEP 1 - Option A: Install panel to the table board (Unobstructed table)





Install the panel under the table board with screws A and washers B, and then tighten the screws.



Attention

The panel opening should be outward during the installation.


STEP 1 - Option B: Angled corners are suitable for table bottoms with beams (covered table tops)

Corner Connector


2 Reserve the according place and mark the positions for drilling.

Attention:


Install the panel where the keyboard tray should be installed.




3 Drill on the marked positions.



Install the panel under the table board with screws A and washers B, and then tighten the screws.




STEP 1 - Option C: Angled corners are suitable for table bottoms with beams (covered table tops)




Reserve the according place and mark the positions for drilling.


Attention

Install the panel where the keyboard tray should be installed .




3 Drill on the marked positions.







Install the panel under the table board with screws A and washers B, and then tighten the screws.




Attention: The panel opening should be outward during the installation.


STEP 2: Install holder








STEP 3: Install keyboard tray





1. Choose to install the long pad or not according to actual needs.



STEP 4: Adjust the keyboard tray

The keyboard tray can be moved forward or backward






the lower right keyboard tray rotary knob in the lower right firer then adjust the tilt angle of the keyboard tray for using it in comfort, tighten the rotary knob after adjusting.

The keyboard tray is angle adjustable

Please loosen the rotary knob in the lower right firer, then adjust the height of the keyboard tray for using it in comfort, tighten the rotary knob after adjusting.

STEP 5:

The keyboard tray is movable and can move in or out
 There is glue on this side to organize and fix the cable on the table.



A CAUTION

This product contains small items that could be a choking hazard if swallowed. Keep these items away from children.

- Make Sure these instructions are read and completely understood before first use. If you are unsure of any part of this installation, please contact a professional installer for assistance.
- Please check joint parts every two months and check the screws loosened or not.
- Do not exceed the max loading capacity 1 kg when using, or it may cause product failure or personal injury.

Note: This product is intended for indoor use only. Use of this product outdoors could lead to product failure or personal injury.

05 06